



The Men's Fellowship Dartboard League uses a 4' x 4', 3/4" Plywood board with a 3/4" thick layer of high-density cork glued to it. The board is rotated 45° for play, and it is in this position that the layout of the field is best described.




Once the board base is prepared and in position, a 1' x 1' grid is marked off using a pencil. Special care must be taken to insure the accuracy of these lines as they form the framework for all markings.





The 3" Dia. Home Run circle is centered on the grid. The square bases are aligned with the corners of each base on the grid. The size of the bases are:

First - 5 1/4" Second - 4 1/4" Third - 3" Walk (Home) - 3"




The Base paths are created by connecting the corners of the bases.


The Horizontal lines are added and then the Vertical lines are last.




Once you have checked your layout for accuracy, you will move on to painting the spaces created. Take your time, checking each space before you commit to a color. Each space should be given 2 coats of paint.




1 - White



2 - Yellow




3 - Red




4 - Green

## 5 -Black





Here you will also go over the lines dividing the colored spaces. The lines should be approximately 1/16" wide. This is best done with a permanent marker.

The spaces can also be labeled as shown below.



The lines around the center square are required to have metal dividing the spaces. The lines can be deeply scored and have a thin metal strip pushed into them.



Questions?  
 Contact Kerry White - Engcapt@Hotmail.com  
 Rev.1.0 Aug 2018